

technical data sheet

Nice 4

NICE 4 IS MADE UP OF 11, 12, 13, 14 OR 15 RISES AND A RAILING ON ONE SIDE.
THE MAXIMUM HEIGHT OF THE STAIRCASE IS 351 CM.


FOR “CUSTOM-MADE” CONFIGURATIONS, YOU CAN BUY THE EXTERNAL RAILING AND THE BALUSTRADE FOR THE LANDING FLOOR.

Table 1

NICE 4	STAIRCASE HEIGHT IN CM	TREADS	RISES	SUPPLEMENTARY ITEMS
				TREADS
	from 288 to 351	14	15	+ 3
	from 269 to 328	13	14	+ 2
	from 250 to 304	12	13	+ 1
	from 231 to 281	11	12	11 TREADS + STEEL SUPPORTS + ONE RAILING SIDE
	from 212 to 257	10	11	-



RISE ADJUSTABLE FROM 19 TO 23,5 CM



SUPPLEMENTARY ITEMS OVERVIEW




balustrade
(120 cm)



tread



riser bar



external
railing



child protection gate*

SUPPLEMENTARY BALUSTRADE

The **Nice 4** supplementary balustrade allows protecting the opening on the upper floor. It is made up of modular 120 cm modules, 10 balusters and a handrail.



SUPPLEMENTARY TREADS

To reach a staircase height of 351 cm, you must purchase one or more supplementary treads comprising the structure, tread and baluster (Table 1).

RISER BAR

Allows to reduce the space between treads to prevent children from falling.





WOOD SHADES:
LIGHT WALNUT



STEEL COLOURS:
IRON GREY, GREY 9006

EXTERNAL RAILING

The **Nice 4** external railing, made up of 5 balusters, a handrail and fixings, is used as protection if the outside of the staircase is far away from the wall. The external railing makes the staircase 4 cm wider.



You can calculate the number of balusters required on the outside of the staircase. The balusters are represented by the dots on the outside.

Example: if you want to fit the external railing only on the outside of the Nice 4 staircase, you need to add up the number of balusters: $2+3+8=13$. Therefore, you need to order 2 additional external railings.


CHILD PROTECTION GATE

Kalypto* is a safety accessory to prevent children under the age of 24 months from climbing up and down the stairs on their own. It is made up of a sheet stretched over a rigid tubular frame and plastic joints to fasten the gate to the railing. It is 82 cm long and 73.5 cm high and can be shortened down to 54 cm to adapt to the staircase dimensions.

Suitable for indoor use.

*www.fontanotstaircases.co.uk/01k

Planning your staircase.



Nice 4 is made up of 11, 12, 13, 14 or 15 rises with steel supports and a railing on one side.

Referring to **table 1**, identify the number of rises of your staircase.

The plans indicate the maximum and minimum dimensions of all the possible configurations. The different arrangement of the treads and the choice of goings (16 cm, 17,2 cm and 18,5 cm) allow you to choose from 200 different configurations.

Nice 4 is adjustable in rise, going and rotation. The direction of rotation of the staircase may be clockwise or anticlockwise and is decided at the time of installation.

IS THERE ALREADY AN OPENING?

Look through the 200 plans and find the one where the opening is smaller than the opening in your floor. Take into account that the opening in the floor must have at least the dimensions of the staircase less three treads for 15 or 14 rises, less two treads for 13 rises, less one tread for 12 rises, and less zero for 11 rises.

DOES THE OPENING STILL NEED TO BE MADE?

Look through the 200 plans and find the one most suited to your stairwell: the opening in the floor must have at least the dimensions indicated in the plan less three treads for 15 or 14 rises, less two treads for 13 rises, less one tread for 12 rises and less zero for 11 rises.




L-configuration



U-configuration



I-configuration




Type of opening


The staircase is adjustable in going, rise and rotation.

TYPE OF STAIRCASE	64
A	19 ÷ 23,5
B	59
C	24
E	4
F	67
P	60
H	2 ÷ 6
L	64
M	66
N	60
G	16/17,2/18,5
R	68
T	66 ÷ 70


the dimensions are in cm.



front view
with railing on 1 side



front view
with railing on 2 sides



plan view with dimensions

Choose your configuration.

L (cm)	A (cm)	C (cm)
00	000-000-000	00

G= 16 G= 17,2 G= 18,5

Nice 4


WIDTH 64 with **11 RISES**

The dimensions indicated in the following I, L and U configurations include the minimum distance of 2 cm to be left from any wall.


Legend:

- treads adjustable in going
- final tread


11 RISES / L-CONFIGURATION




L (cm)	A (cm)	C (cm)
64	180-188-198	68




L (cm)	A (cm)	C (cm)
64	164-171-179	85




L (cm)	A (cm)	C (cm)
64	148-154-161	101-102-104




L (cm)	A (cm)	C (cm)
64	132-137-142	117-119-122




L (cm)	A (cm)	C (cm)
64	116-120-124	133-137-141



L (cm)	A (cm)	C (cm)
64	100-102-105	149-154-159




L (cm)	A (cm)	C (cm)
64	84-85-87	165-171-178




L (cm)	A (cm)	C (cm)
64	68	181-188-196

11 RISES / I-CONFIGURATION




L (cm)	A (cm)
64	168-179-191


11 RISES / U-CONFIGURATION




L (cm)	A (cm)	B (cm)	C (cm)
64	132-137-142	129	68




L (cm)	A (cm)	B (cm)	C (cm)
64	116-120-124	129	85




L (cm)	A (cm)	B (cm)	C (cm)
64	100-102-105	129	101-102-104




L (cm)	A (cm)	B (cm)	C (cm)
64	84-85-87	129	117-119-122




L (cm)	A (cm)	B (cm)	C (cm)
64	68	129	133-137-141




L (cm)	A (cm)	B (cm)	C (cm)
64	116-120-124	145-146-148	68




L (cm)	A (cm)	B (cm)	C (cm)
64	100-102-105	145-146-148	85




L (cm)	A (cm)	B (cm)	C (cm)
64	84-85-87	145-146-148	101-102-104




L (cm)	A (cm)	B (cm)	C (cm)
64	68	145-146-148	133-137-141




L (cm)	A (cm)	B (cm)	C (cm)
64	100-102-105	161-163-166	68




L (cm)	A (cm)	B (cm)	C (cm)
64	84-85-87	161-163-166	85




L (cm)	A (cm)	B (cm)	C (cm)
64	68	161-163-166	101-102-104



L (cm)	A (cm)	B (cm)	C (cm)
64	84-85-87	177-181-185	68



L (cm)	A (cm)	B (cm)	C (cm)
64	68	177-181-185	85



L (cm)	A (cm)	B (cm)	C (cm)
64	68	193-198-203	68

Choose your configuration.

L (cm)	A (cm)	C (cm)
00	000-000-000	00

G= 16 G= 17,2 G= 18,5

Nice 4


WIDTH 64 with **12 RISES**

The dimensions indicated in the following I, L and U configurations include the minimum distance of 2 cm to be left from any wall.


Legend:

- treads adjustable in going
- final tread


12 RISES / L-CONFIGURATION




L (cm)	A (cm)	C (cm)
64	196-206-216	68




L (cm)	A (cm)	C (cm)
64	180-188-198	85




L (cm)	A (cm)	C (cm)
64	164-171-179	101-102-104




L (cm)	A (cm)	C (cm)
64	148-154-161	117-119-122




L (cm)	A (cm)	C (cm)
64	132-137-142	133-137-141




L (cm)	A (cm)	C (cm)
64	116-120-124	149-154-159



L (cm)	A (cm)	C (cm)
64	100-102-105	165-171-178




L (cm)	A (cm)	C (cm)
64	84-85-87	181-188-196




L (cm)	A (cm)	C (cm)
64	68	197-205-215

12 RISES / I-CONFIGURATION




L (cm)	A (cm)
64	184-196-209


12 RISES / U-CONFIGURATION




L (cm)	A (cm)	B (cm)	C (cm)
64	148-154-161	129	68




L (cm)	A (cm)	B (cm)	C (cm)
64	132-137-142	129	85




L (cm)	A (cm)	B (cm)	C (cm)
64	116-120-124	129	101-102-104




L (cm)	A (cm)	B (cm)	C (cm)
64	100-102-105	129	117-119-122




L (cm)	A (cm)	B (cm)	C (cm)
64	84-85-87	129	133-137-141




L (cm)	A (cm)	B (cm)	C (cm)
64	68	129	149-154-159




L (cm)	A (cm)	B (cm)	C (cm)
64	132-137-142	145-146-148	68




L (cm)	A (cm)	B (cm)	C (cm)
64	116-120-124	145-146-148	85




L (cm)	A (cm)	B (cm)	C (cm)
64	100-102-105	145-146-148	101-102-104




L (cm)	A (cm)	B (cm)	C (cm)
64	84-85-87	145-146-148	117-119-122




L (cm)	A (cm)	B (cm)	C (cm)
64	68	145-146-148	133-137-141




L (cm)	A (cm)	B (cm)	C (cm)
64	116-120-124	161-163-166	68




L (cm)	A (cm)	B (cm)	C (cm)
64	100-102-105	161-163-166	85




L (cm)	A (cm)	B (cm)	C (cm)
64	84-85-87	161-163-166	101-102-104




L (cm)	A (cm)	B (cm)	C (cm)
64	68	161-163-166	117-119-122




L (cm)	A (cm)	B (cm)	C (cm)
64	100-102-105	177-181-185	68




L (cm)	A (cm)	B (cm)	C (cm)
64	84-85-87	177-181-185	85




L (cm)	A (cm)	B (cm)	C (cm)
64	68	177-181-185	101-102-104






L (cm)	A (cm)	B (cm)	C (cm)
64	84-85-87	193-198-203	68



L (cm)	A (cm)	B (cm)	C (cm)
64	68	193-198-203	85



L (cm)	A (cm)	B (cm)	C (cm)
64	68	209-215-222	68





Choose your configuration.

Nice 4

WIDTH 64 with 13 RISES

The dimensions indicated in the following I, L and U configurations include the minimum distance of 2 cm to be left from any wall.


Legend:

-  treads adjustable in going
-  final tread


L (cm)	A (cm)	C (cm)
00	000-000-000	00

G= 16 G= 17,2 G= 18,5


13 RISES / L-CONFIGURATION




L (cm)	A (cm)	C (cm)
64	212-223-235	68




L (cm)	A (cm)	C (cm)
64	196-206-216	85




L (cm)	A (cm)	C (cm)
64	180-188-198	101-102-104




L (cm)	A (cm)	C (cm)
64	164-171-179	117-119-122




L (cm)	A (cm)	C (cm)
64	148-154-161	133-137-141




L (cm)	A (cm)	C (cm)
64	132-137-142	149-154-159




L (cm)	A (cm)	C (cm)
64	116-120-124	165-171-178



L (cm)	A (cm)	C (cm)
64	100-102-105	181-188-196




L (cm)	A (cm)	C (cm)
64	84-85-87	197-205-215




L (cm)	A (cm)	C (cm)
64	68	213-223-233

13 RISES / I-CONFIGURATION




L (cm)	A (cm)
64	200-213-228


13 RISES / U-CONFIGURATION




L (cm)	A (cm)	B (cm)	C (cm)
64	164-171-179	129	68




L (cm)	A (cm)	B (cm)	C (cm)
64	148-154-161	129	85




L (cm)	A (cm)	B (cm)	C (cm)
64	132-137-142	129	101-102-104




L (cm)	A (cm)	B (cm)	C (cm)
64	116-120-124	129	117-119-122




L (cm)	A (cm)	B (cm)	C (cm)
64	100-102-105	129	133-137-141




L (cm)	A (cm)	B (cm)	C (cm)
64	84-85-87	129	149-154-159




L (cm)	A (cm)	B (cm)	C (cm)
64	68	129	165-171-178




L (cm)	A (cm)	B (cm)	C (cm)
64	148-154-161	145-146-148	68




L (cm)	A (cm)	B (cm)	C (cm)
64	132-137-142	145-146-148	85




L (cm)	A (cm)	B (cm)	C (cm)
64	116-120-124	145-146-148	101-102-104




L (cm)	A (cm)	B (cm)	C (cm)
64	100-102-105	145-146-148	117-119-122




L (cm)	A (cm)	B (cm)	C (cm)
64	84-85-87	145-146-148	133-137-141




L (cm)	A (cm)	B (cm)	C (cm)
64	68	145-146-148	149-154-159




L (cm)	A (cm)	B (cm)	C (cm)
64	132-137-142	161-163-166	68




L (cm)	A (cm)	B (cm)	C (cm)
64	116-120-124	161-163-166	85




L (cm)	A (cm)	B (cm)	C (cm)
64	100-102-105	161-163-166	101-102-104




L (cm)	A (cm)	B (cm)	C (cm)
64	84-85-87	161-163-166	117-119-122




L (cm)	A (cm)	B (cm)	C (cm)
64	68	161-163-166	133-137-141




L (cm)	A (cm)	B (cm)	C (cm)
64	116-120-124	177-181-185	68




L (cm)	A (cm)	B (cm)	C (cm)
64	100-102-105	177-181-185	85




L (cm)	A (cm)	B (cm)	C (cm)
64	84-85-87	177-181-185	101-102-104




L (cm)	A (cm)	B (cm)	C (cm)
64	68	177-181-185	117-119-122




L (cm)	A (cm)	B (cm)	C (cm)
64	100-102-105	193-198-203	68




L (cm)	A (cm)	B (cm)	C (cm)
64	84-85-87	193-198-203	85




L (cm)	A (cm)	B (cm)	C (cm)
64	68	193-198-203	101-102-104



L (cm)	A (cm)	B (cm)	C (cm)
64	84-85-87	209-215-222	68



L (cm)	A (cm)	B (cm)	C (cm)
64	68	209-215-222	85



L (cm)	A (cm)	B (cm)	C (cm)
64	68	225-232-240	68

Choose your configuration.

Nice 4

WIDTH 64 with 14 RISES

The dimensions indicated in the following I, L and U configurations include the minimum distance of 2 cm to be left from any wall.


Legend:

- treads adjustable in going
- final tread


L (cm)	A (cm)	C (cm)
00	000-000-000	00

G= 16 G= 17,2 G= 18,5


14 RISES / L-CONFIGURATION




L (cm)	A (cm)	C (cm)
64	228-240-253	68




L (cm)	A (cm)	C (cm)
64	212-223-235	85




L (cm)	A (cm)	C (cm)
64	196-206-216	101-102-104




L (cm)	A (cm)	C (cm)
64	180-188-198	117-119-122




L (cm)	A (cm)	C (cm)
64	164-171-179	133-137-141




L (cm)	A (cm)	C (cm)
64	148-154-161	149-154-159




L (cm)	A (cm)	C (cm)
64	132-137-142	165-171-178




L (cm)	A (cm)	C (cm)
64	116-120-124	181-188-196



L (cm)	A (cm)	C (cm)
64	100-102-105	197-205-215




L (cm)	A (cm)	C (cm)
64	84-85-87	213-223-233




L (cm)	A (cm)	C (cm)
64	68	229-240-252

14 RISES / I-CONFIGURATION




L (cm)	A (cm)
64	216-230-246


14 RISES / U-CONFIGURATION




L (cm)	A (cm)	B (cm)	C (cm)
64	180-188-198	129	68




L (cm)	A (cm)	B (cm)	C (cm)
64	164-171-179	129	85




L (cm)	A (cm)	B (cm)	C (cm)
64	148-154-161	129	101-102-104




L (cm)	A (cm)	B (cm)	C (cm)
64	132-137-142	129	117-119-122




L (cm)	A (cm)	B (cm)	C (cm)
64	116-120-124	129	133-137-141




L (cm)	A (cm)	B (cm)	C (cm)
64	100-102-105	129	149-154-159




L (cm)	A (cm)	B (cm)	C (cm)
64	84-85-87	129	165-171-178




L (cm)	A (cm)	B (cm)	C (cm)
64	68	129	181-188-196




L (cm)	A (cm)	B (cm)	C (cm)
64	164-171-179	145-146-148	68




L (cm)	A (cm)	B (cm)	C (cm)
64	148-154-161	145-146-148	85




L (cm)	A (cm)	B (cm)	C (cm)
64	132-137-142	145-146-148	101-102-104




L (cm)	A (cm)	B (cm)	C (cm)
64	116-120-124	145-146-148	117-119-122




L (cm)	A (cm)	B (cm)	C (cm)
64	116-120-124	145-146-148	117-119-122




L (cm)	A (cm)	B (cm)	C (cm)
64	100-102-105	145-146-148	133-137-141




L (cm)	A (cm)	B (cm)	C (cm)
64	84-85-87	145-146-148	149-154-159




L (cm)	A (cm)	B (cm)	C (cm)
64	68	145-146-148	165-171-178




L (cm)	A (cm)	B (cm)	C (cm)
64	148-154-161	161-163-166	68




L (cm)	A (cm)	B (cm)	C (cm)
64	132-137-142	161-163-166	85




L (cm)	A (cm)	B (cm)	C (cm)
64	116-120-124	161-163-166	101-102-104




L (cm)	A (cm)	B (cm)	C (cm)
64	100-102-105	161-163-166	117-119-122




L (cm)	A (cm)	B (cm)	C (cm)
64	84-85-87	161-163-166	133-137-141




L (cm)	A (cm)	B (cm)	C (cm)
64	68	161-163-166	149-154-159




L (cm)	A (cm)	B (cm)	C (cm)
64	132-137-142	177-181-185	68




L (cm)	A (cm)	B (cm)	C (cm)
64	116-120-124	177-181-185	85




L (cm)	A (cm)	B (cm)	C (cm)
64	100-102-105	177-181-185	101-102-104




L (cm)	A (cm)	B (cm)	C (cm)
64	84-85-87	177-181-185	117-119-122




L (cm)	A (cm)	B (cm)	C (cm)
64	68	177-181-185	133-137-141




L (cm)	A (cm)	B (cm)	C (cm)
64	116-120-124	193-198-203	68




L (cm)	A (cm)	B (cm)	C (cm)
64	100-102-105	193-198-203	85




L (cm)	A (cm)	B (cm)	C (cm)
64	84-85-87	193-198-203	101-102-104




L (cm)	A (cm)	B (cm)	C (cm)
64	68	193-198-203	117-119-122




L (cm)	A (cm)	B (cm)	C (cm)
64	100-102-105	209-215-222	68




L (cm)	A (cm)	B (cm)	C (cm)
64	84-85-87	209-215-222	85




L (cm)	A (cm)	B (cm)	C (cm)
64	68	209-215-222	101-102-104



L (cm)	A (cm)	B (cm)	C (cm)
64	84-85-87	225-232-240	68



L (cm)	A (cm)	B (cm)	C (cm)
64	68	225-232-240	85



L (cm)	A (cm)	B (cm)	C (cm)
64	68	241-249-259	68



Choose your configuration.

Nice 4

WIDTH 64 with 15 RISES

The dimensions indicated in the following I, L and U configurations include the minimum distance of 2 cm to be left from any wall.


Legend:

-  treads adjustable in going
-  final tread


L (cm)	A (cm)	C (cm)
00	000-000-000	00

G= 16 G= 17,2 G= 18,5


15 RISES / L-CONFIGURATION




L (cm)	A (cm)	C (cm)
64	244-257-272	68




L (cm)	A (cm)	C (cm)
64	228-240-253	85




L (cm)	A (cm)	C (cm)
64	212-223-235	101-102-104




L (cm)	A (cm)	C (cm)
64	196-206-216	117-119-122




L (cm)	A (cm)	C (cm)
64	180-188-198	133-137-141




L (cm)	A (cm)	C (cm)
64	164-171-179	149-154-159




L (cm)	A (cm)	C (cm)
64	148-154-161	165-171-178




L (cm)	A (cm)	C (cm)
64	132-137-142	181-188-196




L (cm)	A (cm)	C (cm)
64	116-120-124	197-205-215



L (cm)	A (cm)	C (cm)
64	100-102-105	213-223-233




L (cm)	A (cm)	C (cm)
64	84-85-87	229-240-252




L (cm)	A (cm)	C (cm)
64	68	245-256-270

15 RISES / I-CONFIGURATION




L (cm)	A (cm)
64	232-248-265


15 RISES / U-CONFIGURATION




L (cm)	A (cm)	B (cm)	C (cm)
64	196-206-216	129	68




L (cm)	A (cm)	B (cm)	C (cm)
64	180-188-198	129	85




L (cm)	A (cm)	B (cm)	C (cm)
64	164-171-179	129	101-102-104




L (cm)	A (cm)	B (cm)	C (cm)
64	148-154-161	129	117-119-122




L (cm)	A (cm)	B (cm)	C (cm)
64	132-137-142	129	133-137-141




L (cm)	A (cm)	B (cm)	C (cm)
64	116-120-124	129	149-154-159




L (cm)	A (cm)	B (cm)	C (cm)
64	100-102-105	129	165-171-178




L (cm)	A (cm)	B (cm)	C (cm)
64	84-85-87	129	181-188-196




L (cm)	A (cm)	B (cm)	C (cm)
64	68	129	197-205-215




L (cm)	A (cm)	B (cm)	C (cm)
64	180-188-198	145-146-148	68




L (cm)	A (cm)	B (cm)	C (cm)
64	164-171-179	145-146-148	85




L (cm)	A (cm)	B (cm)	C (cm)
64	148-154-161	145-146-148	101-102-104




L (cm)	A (cm)	B (cm)	C (cm)
64	132-137-142	145-146-148	117-119-122




L (cm)	A (cm)	B (cm)	C (cm)
64	116-120-124	145-146-148	133-137-141




L (cm)	A (cm)	B (cm)	C (cm)
64	100-102-105	145-146-148	149-154-159




L (cm)	A (cm)	B (cm)	C (cm)
64	84-85-87	145-146-148	165-171-178




L (cm)	A (cm)	B (cm)	C (cm)
64	68	145-146-148	181-188-196




L (cm)	A (cm)	B (cm)	C (cm)
64	164-171-179	161-163-166	68




L (cm)	A (cm)	B (cm)	C (cm)
64	148-154-161	161-163-166	85




L (cm)	A (cm)	B (cm)	C (cm)
64	132-137-142	161-163-166	101-102-104




L (cm)	A (cm)	B (cm)	C (cm)
64	116-120-124	161-163-166	117-119-122




L (cm)	A (cm)	B (cm)	C (cm)
64	100-102-105	161-163-166	133-137-141




L (cm)	A (cm)	B (cm)	C (cm)
64	84-85-87	161-163-166	149-154-159




L (cm)	A (cm)	B (cm)	C (cm)
64	68	161-163-166	165-171-178




L (cm)	A (cm)	B (cm)	C (cm)
64	148-154-161	177-181-185	68




L (cm)	A (cm)	B (cm)	C (cm)
64	132-137-142	177-181-185	85




L (cm)	A (cm)	B (cm)	C (cm)
64	116-120-124	177-181-185	101-102-104




L (cm)	A (cm)	B (cm)	C (cm)
64	100-102-105	177-181-185	117-119-122




L (cm)	A (cm)	B (cm)	C (cm)
64	84-85-87	177-181-185	133-137-141




L (cm)	A (cm)	B (cm)	C (cm)
64	68	177-181-185	149-154-159




L (cm)	A (cm)	B (cm)	C (cm)
64	132-137-142	193-196-203	68




L (cm)	A (cm)	B (cm)	C (cm)
64	116-120-124	193-198-203	85




L (cm)	A (cm)	B (cm)	C (cm)
64	100-102-105	193-198-203	101-102-104




L (cm)	A (cm)	B (cm)	C (cm)
64	84-85-87	193-198-203	117-119-122




L (cm)	A (cm)	B (cm)	C (cm)
64	68	193-198-203	133-137-141




L (cm)	A (cm)	B (cm)	C (cm)
64	116-120-124	209-215-222	68




L (cm)	A (cm)	B (cm)	C (cm)
64	100-102-105	209-215-222	85




L (cm)	A (cm)	B (cm)	C (cm)
64	84-85-87	209-215-222	101-102-104




L (cm)	A (cm)	B (cm)	C (cm)
64	68	209-215-222	117-119-122




L (cm)	A (cm)	B (cm)	C (cm)
64	100-102-105	225-232-240	68




L (cm)	A (cm)	B (cm)	C (cm)
64	84-85-87	225-232-240	85




L (cm)	A (cm)	B (cm)	C (cm)
64	68	225-232-240	101-102-104



L (cm)	A (cm)	B (cm)	C (cm)
64	84-85-87	241-249-259	68



L (cm)	A (cm)	B (cm)	C (cm)
64	68	241-249-259	85



L (cm)	A (cm)	B (cm)	C (cm)
64	68	257-267-277	68